



Justrite Safety Group

Indoor Absorbant - Printed Logo Mats

# 019 Uni Imperial™



019 UNI IMPERIAL™

Indoor - Medium traffic

# 019 Uni Imperial™

The Uni Imperial™ can be printed as a mono-coloured mat in full colour to match your mat to any interior colour scheme or to use together with the custom printed logo mats for a colour coordinated matting system.

The Uni Imperial™ has almost infinite colour possibilities, can be printed in standard sizes, custom lengths and custom sizes up to 200 cm wide for loose lay or in recessed frames allowing tailor made matting solutions. This high quality multi-functional dust control mat is densely tufted to ensure a high water absorption capacity and dirt removal for a truly effective solution.

A durable vinyl backing with smooth finish adapts to any surface. The BrilliantStep™ printing method ensures brilliant colours all the way through with a colour fastness that is ensured, in accordance with DIN54006.

#### Recommended use:

- Medium traffic
- For placement in large entrances at hotels, shopping malls, cinemas, public buildings, department stores, banks, restaurants.

#### Specifications:

- Frieze 100% polyamide 6.6 high twist yarns
- Backing: Black vinyl (DOP free)
- Vinyl borders: 2.5 cm on all sides
- Overall thickness: 8 mm
- Weight: 2,8 kg/m<sup>2</sup>
- Fire rating: EN 13501-1 Bfl-S1

#### Standard sizes:

- 60cm x 90cm
- 90cm x 120cm
- 90cm x 150cm
- 120cm x 180cm
- 120cm x 240cm

#### Custom lengths:

- 135cm x linm
- 150cm x linm
- 200cm x linm

#### Colours:

- Unlimited colour possibilities

#### Cleaning instructions:

- Vacuum clean



#### PRODUCT TESTING



## 019 Uni Imperial™ (off white)

Art. nr.	Dimensions	Weight kg
019S0023WH	60cm x 90cm	1,5
019S0034WH	90cm x 120cm	2,9
019S0035WH	90cm x 150cm	3,4
019S0046WH	120cm x 180cm	5,5
019S0048WH	120cm x 240cm	10,1
019C0051WH	135cm x linm	3,4
019C0060WH	150cm x linm	4,5
019C0078WH	200cm x linm	6



# 019 Uni Imperial™

## GENERAL DESCRIPTION

Type	Indoor Absorbant - Printed Logo Mats
Description	Absorbent carpet mat printed in your chosen colour.
Recommended use	Indoor
Surface	Smooth even surface
Category	Logo Matting Medium traffic
Colours	Unlimited colour possibilities
Edges	Vinyl borders: 2.5 cm on all sides

## TECHNICAL SPECIFICATIONS

Material	Frieze 100% polyamide 6.6 high twist yarns
Backing	Black vinyl (DOP free)
Primary backing	Nonwoven PET/PA
Process	Tufting
Yarn Construction	Cut loop pile - frieze
Pile weight	700 g/m <sup>2</sup>
Total weight	2,8 kg/m <sup>2</sup>
Pile height	0,66 mm
Overall thickness	8 mm

## TESTS

Absorption capacity	TNO W6034	4 l/m <sup>2</sup>
Fire rating	EN 13501	EN 13501-1 Bfl-S1
Static charge	ISO 6356	<0.1
Comfort class	EN 1307	LC3
Light Fastness	ISO 105 B02	5
Water fastness	ISO 105 B01	4
Rubbing fastness	ISO 105 X12	4
Salt water	ISO 105 E02	4
Shampoo	BS 1006	4
Organic solvents	ISO 105 X05	4
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals	
Surface flammability	ASTM D2859	Pass

## DIMENSIONS

Standard sizes	Full rolls	Custom lengths
60cm x 90cm		135cm x linm
90cm x 120cm		150cm x linm
90cm x 150cm		200cm x linm
120cm x 180cm		
120cm x 240cm		