

694 Master Flex HHP™ D12 Nitrile FR



Dust Control Matting - Outdoor Contract & Installation Matting

694 Master Flex HHP™ D12 Nitrile FR

694 Master Flex HHP™ D12 Nitrile FR high heel modular nitrile rubber mat tile for use with high heels has an open construction with tiny drainage holes and a depth of 12 mm.

- Nitrile fire retardant compound which is oil resistant for placement in petrol stations or entrances with oil exposure
- Smooth surface makes it EU compliant for public entrances and suitable for wheeled access
- Stylish octagonal grooved design with tiny integrated holes to reduce the risk of trips and falls with high heels
- Can be combined with the Master Flex HHP™ C12 for a harmonious transition from outdoor to indoor

Recommended use


- Indoor/Outdoor
- For placement in interior or exterior recessed matwell frames
- Heavy traffic

Colors:

- Black

Sizes:

- 50 cm x 50 cm
- 50cm x 50cm



Dust Control Matting - Outdoor Contract & Installation Matting

Master Flex HHP™ D12 Nitrile FR

General

Brand	Notrax®
Category	Outdoor Contract & Installation Matting
Product Number	694
Product Family	Industrial & Commercial Matting
Product Group	Dust Control Matting
Product Name	Master Flex HHP™ D12 Nitrile FR
Recommended use	For placement in interior or exterior recessed matwell frames
Series	Masterflex™
Shipping Location	Barendrecht 2992SB, The Netherlands
Type	Indoor / Outdoor - Modular Entrance Mat Systems
Usage Intensity	Heavy traffic

Sustainability

Reach	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
-------	---

Technical Specifications

Edges	Attachable bevelled edges are available
Material	100% nitrile fire retardant rubber compound
Material Group	Nitrile rubber
Process	Compression Moulding

Master Flex HHP™ D12 Nitrile FR Black

Art. nr.	Dimension (cm)	Weight (kg)	Thickness (mm)
694S0050OB	50 cm x 50 cm	2.5	12
694B0050OB	50cm x 50cm	27	12